

Term of Reference (TOR) and Specifications
for the procurement of equipment for Satellite Assembly,
Integration and Testing facility
Geo-Informatics and Space Technology Development Agency
(Public Organization)
Ministry of Science and Technology





11/83
WLI
12



Table of Contents

1. Background.....	5
2. Objectives.....	6
3. Eligibility of Bidders.	7
4. Selection Criteria.....	8
5. Bid Requirement.....	8
6. Training and Technology Transfer.....	14
7. Milestones.....	15
8. Contract Period.....	17
9. Deliverables.....	18
10. Place of delivery.....	18
11. Contract value.....	18
12. Warranty.....	18
13. Terms of Payment.....	18
14. Penalty.....	20
15. Price Confirmation.....	20
16. Other terms and conditions.....	20
17. Bid documents.....	20
18. Bid security.....	21
Appendix A - Technical Specifications – Satellite Assembly, Integration and Test equipment.	23
Appendix B - Technical Specifications – Facility and laboratory tools.....	32
Appendix C - Technical Specifications – Hand tools.....	52
Appendix D. Technical Specifications – Security and Electrical Systems.....	63
Appendix D.- Technical Specifications – Security and Electrical Systems.....	64
Appendix E - Scoring Rubric for proposal consideration.....	71
List of Deliverables.....	78

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, a checkmark above the page number, and several other initials and signatures on the right.

Tables of Figures

Figure 1: Example of Vibration Test equipment installation.....	25
Figure 2: Example of Vacuum Test Chamber Installation.....	26
Figure 3 Test standard IEC 60068-3-5.....	27
Figure 4: Layout of clean room and air shower.....	32
Figure 5: Example of shutter door.....	33
Figure 6: Diagram showing the control of Fire safety system	34
Figure 7: Example of Eyewashes and Showers	35
Figure 8: Example of an installation of Foundation Isolator	36
Figure 9: Example of stainless steel working table for clean room.....	37
Figure 10: Example of table for holding satellite	38
Figure 11: Example of Chair with ESD safe standards.....	39
Figure 12: Example of Parts storage cabinets with drawers	40
Figure 13: Example of ESD-Safe standard tool storage cupboard	41
Figure 14: Example of Corrosive Safety cabinet	41
Figure 15: Example of ESD-Safe Trays.....	42
Figure 16: Example of Steel Mobile shelf	43
Figure 17: Example of Two-tier Stainless-Steel Trolley.....	43
Figure 18: Example of mobile instruments cart.....	44
Figure 19: Example of Utility Cart	44
Figure 20: Example of single-tier stainless steel cart.....	45
Figure 21: Example of Plastic Pallet that can be used on all four sides.....	45
Figure 22: Example of bin with foot pedal	46
Figure 23: Example of A-shape Aluminum Ladder with 1100 mm height	46
Figure 24: Example of A-shape Aluminum Ladder with 2075 mm height	47
Figure 25: Example of Mobile Stainless-Steel ladder	47
Figure 26: Example of Anti-static adjustable wrist strap	48
Figure 27: Example of Forklift.....	48
Figure 28: Tool cart with toolbox	56

A collection of handwritten signatures and initials in black ink, including a large signature on the left, several smaller initials in the middle, and a signature on the right.


Figure 29: Layout and location of equipment that must be connected to the Uninterrupted Power Supply..... 69

Tables of Tables

Table 1: Sample Random Vibration Test 24

Table 2: Scoring Rubric for technical evaluation..... 71

4 / 83



The bottom right corner of the page contains several handwritten signatures and initials. There are approximately seven distinct marks, including a large signature, several smaller initials, and a date '4 / 83' written above one of the marks.

Term of Reference (TOR) and Specifications
for the procurement of equipment for Satellite Assembly, Integration
and Testing facility

Geo-Informatics and Space Technology Development Agency
(Public Organization)


Ministry of Science and Technology

1. Background

According to the Cabinet of ministries meeting dated March 14, 2017, the Cabinet Resolution approved the implementation of the Earth Observation Satellite System for national development or THEOS-2 and assigned the Geo-informatics and Space Technology Development Agency (Public Organization): GISTDA as the responsible entity for the project. One of the mission of the project is to develop the infrastructure in preparation for the project which consists of a satellite assembly, integration and testing (AIT) building and the equipment for satellite assembly and testing in order to the support the development of components, assembly, integration and testing of the satellite especially for small satellites in Thailand.

Hence, GISTDA wishes to procure equipment for satellite assembly and testing to be used for the design, assembly and testing of satellite systems including research and development of components used in satellite systems as well as using the facility for advanced research and development in the area of aeronautics and astronautics. Therefore, GISTDA is proceeding to procure the equipment for satellite assembly and testing to improve the capability and efficiency in research, development and innovation and the development of human resources in aerospace research and development sector into the aerospace and aerospace market at the national and international level.

5 / 83



The bottom right corner of the page contains several handwritten signatures and initials. There are approximately five distinct marks, including a large signature on the left, a smaller one in the middle, and several initials or short signatures on the right. The text '5 / 83' is written above these marks.

Definition

GEVS	refers to <i>General Environmental Verification Specification</i>
CE	refers to <i>Conformité Européene</i>
CSA	refers to <i>Canadian Standards Association</i>
IEC	refers to <i>International Electrotechnical Commission</i>
ISO	refers to <i>International Organization for Standardization</i>
FS	refers to <i>Federal Standard for Cleanliness Classification Levels</i>
ASTM	refers to <i>American Society for Testing and Materials</i>
ANSI	refers to <i>American National Standards Institute</i>
IEEE	refers to <i>Institute of Electrical and Electronics Engineers</i>
TISI	refers to <i>Thai Industrial Standards Institute</i>
Clean room	refers to a room with controlled amount and size of particle, temperature and air pressure

2. Objectives


In order to ensure that the development of satellite systems to be effective meet international standards, GISTDA needs to possess the equipment and the laboratory which can support the development, assembly, integration and testing of satellite systems. Hence, GISTDA has defined the following objectives for the procurement of the satellite AIT equipment as follows:

- 2.1 Procurement and installation of equipment for assembly, integration, and testing of satellite systems.
- 2.2 Procurement and installation of equipment for research and development of components and parts for satellite systems and ground operations system

2.3 Procurement and installation of equipment and tools in support of the operations and security of the laboratory.

3. Eligibility of Bidders.

- 3.1 Bidders must have a profession relating to the trade of items as specified in this e-bidding.
- 3.2 Bidders may proceed in the e-bidding process as one of the following:
 - 3.2.1 Bidders shall be a single legal entity.
 - 3.2.2 Bidders shall be a joint venture or a consortium and must demonstrate the purpose of the joint venture or the consortium and the obligation to share responsibility in the work as required by GISTDA and must submit the joint venture agreement or consortium agreement with the proposal.
- 3.3 Bidders shall not be enlisted in the abandoners' list of the Thai Government Agencies and the State Enterprises.
- 3.4 Bidders shall not be juristic persons who have the special privilege or immunity with which to refuse being taken to Thai court, or if they have, such privilege or immunity must be waived by the order of such Bidders' Government. The government of the bidder has the right to waive such immunity.
- 3.5 Bidders shall not be a jointly interested bidder with other bidders, Service Provider / Facilitator or shall not be a person who undertakes and acts as a "Obstruction of Fair Price Competition" in this bid invitation.
- 3.6 Entity entering into the agreement must not be an entity that does not provide income-expense accounting or have provided an incorrect income-expense accounting
- 3.7 Bidders who enter the contract in e- Government Procurement: e-GP shall register themselves for e-GP in the Thai Government Procurement Center's Website of the Comptroller General's Department.



Handwritten signatures and initials at the bottom right of the page, including a large signature and the number 26.

- 3.8 Bidders must receive/provide payment via bank account, except if the total amount of each payment does not exceed THB 30,000.00 (Thirty Thousand Baht Only), which, then, can be paid in cash.
- 3.9 Bidders must qualify for the preliminary qualifications of bidders as defined by Geo-Informatics and Space Technology Development Agency (Public Organization)

4. Selection Criteria

The procurement committee shall consider the bid according to the following criteria:

- Bid Consideration based on technical proposal 70%
- Bid Consideration based on financial proposal 30%


Details of the bid consideration and scoring are given in Appendix E.

5. Bid Requirement

5.1 General requirements

5.1.1 The bidder must submit a technical proposal consisting of:

- 5.1.1.1 The bidder must set up a Compliance Table showing the compliance between the requirements of GISTDA and the bidder's proposal clearly stating which items fulfill which requirement.
- 5.1.1.2 The bidder must submit a technical proposal, documents providing catalog or brochure with detailed technical specifications including the origin of the proposed equipment. The information must be marked clearly and refer to the specific bid requirement for the consideration of the committee.
- 5.1.1.3 The bidder must submit an Implementation Plan which is in line with the delivery period.
- 5.1.1.4 The bidder must submit an Installation Procedure with detailed steps in the implementation of the clean room system, the Air Shower

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, several smaller initials and signatures in the center and right, and a small mark at the bottom right.

system, Vibration test, Thermal Vacuum Chamber Foundation Isolator and Mass Properties Measurement Device at the least

- 5.1.1.5 The bidder must estimate the electricity consumption of each assembly integration and test equipment, measuring devices, clean room systems, etc. that shall be delivered and installed.
- 5.1.1.6 The bidder shall submit a single line diagram for the electrical work and the design of the electrical installation to support electrical load for all the equipment. The electrical system design must be done by an electrical engineer who has been certified by the council of engineers, with the minimum qualification of Professional Engineer
- 5.1.1.7 The bidder must submit a training plan for the operations and maintenances of each equipment at the place of delivery (Onsite Training). The training for each equipment must be given to no less than 5 employees.
- 5.1.1.8 The bidders must have delivered a clean room installation work or vibration test equipment or Thermal Vacuum Chamber or Mass Properties Measurement equipment or similar work, whose contract must be not less than 10,000,000 baht (ten million baht) directly (not sub-contract) with a government or private entity and at least 1 contract must have been fully executed. Bidders must provide a certified copy of the completed said contract and a certified copy of the certificate of completion along with the bid documents.
- 5.1.1.9 The bidder must have at least 1 electrical engineer, 1 Mechanical engineer and 1 civil engineer who has been certified by the council of engineers by the Engineer Act 1999, with the minimum qualification of Professional Engineer They shall be the supervising engineers for the installation and testing of all the systems. Bidders must submit all

Handwritten signatures and initials at the bottom of the page, including the date 9/83.

certified copies of the certification engineering license as part of the technical proposal.

- 5.1.1.10 The bidder must sign and seal/stamp (if any) all bid documents including the technical proposal, bid support documents, term of reference, etc. which shall be legally binding.
- 5.1.2 All delivered equipment and accessories must be new, never used. If GISTDA request of additional documents, the contractor must be able to show the documentation that can verify the origin and unused condition of the equipment.
- 5.1.3 The items delivered to GISTDA, if copyrighted, must be a legal product and have the license needed for GISTDA to use forever without additional cost.
- 5.1.4 The contractor is responsible for all cost with respect to the import and export of all equipment as well as all other costs associated with the work.
- 5.1.5 In the event that any equipment requires a permission or license or registration to import, utilize or possess from any agency, the contractor is responsible in ensuring that all items and processes are in accordance with legal regulations.
- 5.1.6 In case the contractor wishes to store equipment and other tools within GISTDA's premise during the installation period, GISTDA shall not be liable for all loss or damage.
- 5.1.7 The contractor must coordinate with the Site Management officer for site inspection and installation. The equipment and installation must comply with relevant standards and must be installed in the way as specified by the manufacturer of the equipment. the contractor must have qualified technicians and engineers who are specialized in the installation and have the relevant engineering license as supervisor. the contractor is responsible for all installation and related expenses.
- 5.1.8 The contractor shall be liable for all damages incurred in the case the contractor, its employee, representatives or sub-bidder's executed with negligence or intention or lack of expertise or lack of action in the implementation of various

10/83
[Handwritten signatures and initials]

procedures under the contract which causes the system or equipment or property to be damaged or not in good condition.

- 5.1.9 In case of any change other than those approved by GISTDA, the contractor must notify and received approval from GISTDA before proceeding at least 30 days in advance. If the contractor installs any equipment which has not been approved or does not follow the specifications that has been pre-approved, GISTDA reserves the right to temporarily suspend work and to perform correction immediately at the expense of the contractor. Any delay due to such a correction cannot be used as a request for extension of the contract execution or an excuse for the incompleteness of the entire project.
- 5.1.10 The contractor must study the detail and the scope of the Term of Reference including any potential problem, vagueness, discrepancy prior to starting the work. When the contractor starts the work, if there is any conflicts or discrepancies in the production, installation or assembly, and the equipment or system cannot function according to the design specification, the contractor must take corrective action as soon as possible and cannot appeal for any additional time and expenses for the execution of the contract.
- 5.1.11 The contractor can proceed to install, test, deliver deliverables as per the contract during normal working days and time which is Monday to Friday (except public holidays) from 08.00 - 17.00 hrs. In the event that the bidder requires to work beyond the specified days and time, the contractor must present a request in writing, indicating the reasons for the request and the list of employees or subcontractors who shall be performing the work and shall submit the list to the Chairman of the Acceptance Committee for temporary permission.
- 5.1.12 GISTDA does not allow the employees or subcontractors of the contractor to stay overnight in the installation site or in the GISTDA's area. In the event that bidder's employees or subcontractors need to work at night or stay on site to guard any property, the contractor must request so in writing stating the reason and the list

11/83

The bottom of the page contains several handwritten signatures and initials. On the left, there is a large, stylized signature. To its right, there are several smaller initials and signatures, including one that appears to be 'HLD' and another that looks like 'R'. There are also some scribbles and marks scattered around these signatures.

of employees or subcontractors to the Chairman of the Acceptance Committee for temporary permission.

5.1.13 The contractor shall supervise the contractor's employees or subcontractors to work only in the work area as agreed under the contract. The contractor must ensure that there is no consumption of narcotics, alcohols. or gambling or drunken behavior or fighting or any actions which is against the rules and regulations of GISTDA including any action or lack any action that may be defamatory to GISTDA. If such an event occurs, the contractor is responsible and liable for all damages.

5.1.14 The contractor is responsible for the cost of the security, fuel for electrical generator for the period of testing and so on during installation and testing of the deliverable as per the rules and regulations of GISTDA.

5.2 Technical requirements

The Technical Specifications of equipment specified in the TOR is the minimum requirement. The bidder may offer better equipment than specified in the TOR. However, GISTDA reserves the right to deliberate the bidder's proposal and GISTDA's decision is considered final.


5.2.1 The minimum technical specifications of the equipment for satellite assembly and integration are as described in Appendix A.

5.2.2 The minimum technical specifications of the room design, operational equipment and support tools are as described in Appendix B.

5.2.3 The minimum technical specifications of the tools and hand tools are as described in Appendix C.

5.2.4 The minimum technical specifications of the security and electrical systems are as described in Appendix D.

12 / 83



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, initials 'WJ' and 'hr' in the center, and a signature on the right. The date '12 / 83' is written above the signature on the right. There are also some scribbles and a small '07' at the bottom right corner.

5.3 Equipment Installation

In order to ensure that equipment and tools as other facilities as described in 5.2 can be used effectively and in accordance to international standards, the bidder must propose an implementation plan, especially for the following equipment:

- 5.3.1 Vibration test as specified in Appendix A must be installed in the AIT high bay as specified in Appendix B, which shall support 5,000 kilograms per square meter in an area of 10 meters wide, 10 meters long and 2.7 meters deep and there must be a mechanism, equipment or material that can insulate the vibration from the vibration test equipment to the building.
- 5.3.2 The Thermal Vacuum Chamber as specified in Appendix A shall be installed in the AIT high bay area in an area approximately 15 meters wide and 15 meters long.
- 5.3.3 Mass Properties Measurement as specified in Appendix A shall be installed in the AIT high bay area as specified in Appendix B, which shall support 5,000 kilograms per square meter in an area of 8 meters wide, 8 meters long and 1.5 meters deep.
- 5.3.4 The Foundation Isolator as specified in Appendix B shall be installed in the AIT high bay area of 10 meters wide, 10 meters long and 3 meters deep.
- 5.3.5 Transformers capable of not less than 2,000 KVA, as specified in Appendix D, must be installed outdoors including wiring cable from transformer to MDB and must meet engineering standards and the Provincial Electricity Authority's standard or its equivalent. GISTDA will be responsible for the fees related to the implementation with the Provincial Electricity Authority.
- 5.3.6 Uninterruptible Power Supply (UPS), as specified in Appendix D, must be installed including wiring cable to branch MDB or equipment.
- 5.3.7 The contractor must have the engineers and experts for the installation of the following test equipment according to section 5.1.1.9:
 - (1) class 100000 and class 100 Clean room
 - (2) Vibration test

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, initials 'W1' and 'L' in the middle, and a signature with the number '13/83' above it on the right. There are also some other scribbles and marks.

- (3) Thermal Vacuum Chamber
- (4) Mass Properties measurement
- (5) Foundation Isolator

The contractor also must have electricians for indoor and building work who have received the certification under the Skill Development Promotion Act. B.E. 2545 and its amendment and must submit the list of engineers and their certification from the office of skill standard and test development.

6. Training and Technology Transfer

The contractor must present a training and technology transfer plan with the details as follows

- 6.1 The contractor must prepare a training plan including with training material, test and examinations for the at least the following equipment.
 - 6.1.1 Vibration Test
 - 6.1.2 Thermal Vacuum Chamber
 - 6.1.3 Thermal Cycling
 - 6.1.4 Mass Properties Measurement
 - 6.1.5 Theodolite, Forklift, IR Thermometer, UPS, CCTV etc.
 - 6.1.6 Clean room for both class 100000 and class 100
- 6.2 The teaching materials must be carefully prepared and must include a manual for the trainees or recipients of the training to assist them to understand the purpose of using the equipment, understand the operation of the equipment, understand the parameter settings and read the parameters of the equipment including understanding the display and reporting of equipment and understand the maintenance procedure.
- 6.3 The maintenance manual must be described in detail, including Preventive maintenance and Corrective maintenance. The Handbook documents should, at least, include the daily, weekly, monthly, yearly maintenance templates along with maintenance procedures.

14/83
Handwritten signatures and initials are present at the bottom right of the page.

- 6.4 The trainer must train and explain all the procedures carefully thoroughly and teach the operators to operate and maintain the equipment by themselves.
- 6.5 The trainers must conduct tests to measure the understanding of the trainees.

7. Milestones

The contractor must comply with the term of reference and specifications and must deliver all deliverables within 600 days following the date of signing the contract. The deliverables are divided into 8 milestones as follows:

7.1 Milestone 1: The contractor must deliver 10 copies of the following report in hard copy (printed on paper) and in electronic copy (Digital File) within 60 days after signing the contract.

7.1.1 System Design Review and Implementation Plan.

7.1.2 Technical Proposal, Catalog or Brochure that include all technical specifications including features, brands, models, quantity, etc.

7.1.3 Electrical load details of both equipment and clean room.

7.1.4 Test plan and Acceptance Test procedures for the Factory Test and Onsite Test which must provide test plans and results of the test at the level of unit test, functional test and end-to-end test for at least the following test equipment:

- (1) Vibration Test
- (2) Thermal Vacuum Chamber
- (3) Thermal Cycling
- (4) Mass Properties Measurement


If GISTDA wishes to send a representative to observe the test at the manufacturer's premises (FAT), the contractor shall facilitate the test observation including all liaison, permission, authorization with the manufacturer of the equipment. (GISTDA shall cover the expense of its representatives visiting the site of the manufacturer)

15783

Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller initials and signatures on the right.

- 7.1.5 Training plans include training topics, summary of each topic and the training schedule.
- 7.2 Milestone 2: The contractor must submit deliver, install, test the following items including providing the related manual and training within 150 days following the date of signing the contract:
 - 7.2.1 Hand Tools as specified in Appendix C.
 - 7.2.2 Theodolite as specified in Appendix A
 - 7.2.3 Factory Acceptance Test (FAT) for Vibration Test as specified in Appendix A
- 7.3 Milestone 3: The contractor must submit deliver, install, test the following items including providing the related manual and training within 230 days following the date of signing the contract:
 - 7.3.1 Thermal cycling equipment as specified in Appendix A
 - 7.3.2 Electrical Transformer as specified in Appendix D.
 - 7.3.3 Factory Acceptance Test (FAT) of the Thermal Vacuum Chamber as specified in Appendix A
 - 7.3.4 Factory Acceptance Test (FAT) of the Mass Properties Measurement equipment as specified in Appendix A.
- 7.4 Milestone 4: The contractor must submit deliver, install, test the following items including providing the related manual and training within 300 days following the date of signing the contract:
 - 7.4.1 Foundation Isolator as specified in Appendix B
 - 7.4.2 Furniture, materials/equipment for transportation and storage as specified in Appendix B
 - 7.4.3 UPS as specified in Appendix D
- 7.5 Milestone 5: The contractor must submit deliver, install, test the following items including providing the related manual and training within 360 days following the date of signing the contract:

16/83




The bottom of the page contains several handwritten signatures and initials in black ink. There are approximately six distinct marks, including a large signature on the left, several smaller initials or signatures in the center and right, and a small mark at the bottom right corner.

- 7.5.1 On-Site Acceptance Test (OSAT) of the Vibration Test equipment as specified in Appendix A
- 7.5.2 Installation of CCTV as specified in Appendix D
- 7.6 Milestone 6: The contractor must submit deliver, install, test the following items including providing the related manual and training within 430 days following the date of signing the contract:
 - 7.6.1 On-Site Acceptance Test (OSAT) of the Mass Properties Measurement equipment as specified in Appendix A
- 7.7 Milestone 7: The contractor must submit deliver, install, test the following items including providing the related manual and training within 500 days following the date of signing the contract:
 - 7.7.1 On-Site Acceptance Test (OSAT) of the Thermal Vacuum Chamber as specified in Appendix A
- 7.8 Milestone 8: The contractor must submit deliver, install, test the following items including providing the related manual and training within 600 days following the date of signing the contract:
 - 7.8.1 Clean room and its accessories as specified in Appendix B
 - 7.8.2 Any other remaining work according to the TOR such that the delivery is complete, accurate, in full and can be used effectively in all respects with respect to the contract

8. Contract Period

The contractor must deliver all deliverables including the Installation and testing of all the equipment and system such that the delivery is complete, accurate, in full and can be used effectively in all respects with respect to the contract as well as complete all the training within 600 days following the date of signing the contract.

Handwritten signatures and initials, including the date 17/83.

The delivery of the deliverables may be delivered across the milestone. However, this is at the approval of the acceptance committee taking into consideration compliance with engineering standards.

9. Deliverables

The contractor must deliver and install the deliverables in accordance with List of Deliverables.

10. Place of delivery

Geo-Informatics and Space Technology Development Agency (Public Organization) 88 Moo 9, Thungsuikha, Sriracha, Chonburi.

11. Contract value

The contract value for the procurement of equipment Satellite Assembly, Integration and Testing facility is Baht 216,000,000 (Two hundred and sixteen million Baht only).

12. Warranty

The contractor must guarantee the equipment to be free from defect as well as provide after sales service for at least 1 year after the date of delivery of the final milestone as per the contract. During this period, if any item is found to be damaged or defective or none operational because of normal use, the contractor must repair the item to be in full working condition within 10 working days after the day of reporting the defect without any expense to GISTDA. In the case that the contractor does not comply or does not complete the repair within the stipulated time, GISTDA shall have the right to take any corrective action as deemed appropriate, or contract another party to do it and the contractor shall be responsible for all the cost incurred.


13. Terms of Payment

GISTDA will make the payment in 8 installments according to the following milestones:

Handwritten signatures and initials, including the number 18783, are present at the bottom right of the page.

- 13.1 The 1st installment is equivalent to 2% of the contract value and shall be paid when the contractor delivers all the document correctly as specified in section 7.1 within 60 days following the date of signing the contract and the acceptance committee has accepted the deliverables.
- 13.2 The 2nd installment is equivalent to 4% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.2 within 150 days following the date of signing the contract and the acceptance committee has accepted the deliverables.
- 13.3 The 3rd installment is equivalent to 7% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.3 within 230 days following the date of signing the contract and the acceptance committee has accepted the deliverables.
- 13.4 The 4th installment is equivalent to 7% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.4 within 300 days following the date of signing the contract and the acceptance committee has accepted the deliverables.
- 13.5 The 5th installment is equivalent to 20% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.5 within 360 days following the date of signing the contract and the acceptance committee has accepted the deliverables.
- 13.6 The 6th installment is equivalent to 20% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.6 within 430 days following the date of signing the contract and the acceptance committee has accepted the deliverables.
- 13.7 The 7th installment is equivalent to 20% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.7 within 500 days following the date of signing the contract and the acceptance committee has accepted the deliverables.

19/83



The bottom of the page contains several handwritten signatures and initials. On the left, there is a large, stylized signature. To its right are several smaller initials, including 'W', 'H', and 'R'. At the bottom right, there is a signature that appears to be 'Ramon' followed by a date '19/83' written above it. There are also some other scribbles and marks at the bottom right corner.

13.8 The 8th installment is equivalent to 20% of the contract value and shall be paid when the contractor delivers all the work correctly and in full as specified in section 7.8 within 600 days following the date of signing the contract and the acceptance committee has accepted the deliverables.

14. Penalty

If the contractor is unable to deliver the deliverables, including installations and test, within the time specified in the contract, the contractor shall pay a fine to GISTDA equivalent to is 0.20% (zero point two zero percent) per day of the value of undelivered deliverables.

15. Price Confirmation

The bidder must provide a price validity no less than 60 days from the day of final price proposal.

16. Other terms and conditions

16.1 If any device, tool, software or deliverables delivered by the contractor violates copyrights or intellectual property of any entity, the contractor shall be responsible for all damages incurred.

16.2 All equipment, tools and software delivered must have a lifetime license.

16.3 If there is any Software Patch or software update for the equipment delivered within 1 year after the day of the final milestone, the contractor shall update the software/system to the latest version as per the request of GISTDA without any additional cost.

17. Bid documents

Bid documents are available through the Thai Government Procurement System for Baht 3,000 (Three Thousand Baht only) and must be paid at the bank before the bid document can be downloaded from the Thai Government Procurement system in the process of e-bidding

20/83
Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, several initials in the middle, and a signature on the right with a checkmark above it.

18. Bid security

The bidder must submit bid security equal of 5% of bidding price at the time of submission of the proposal through Thai Government Procurement system.

21/83
Handwritten signature and date